



# TC2X SERIES ACCESSORIES BROCHURE



**BSR idware GmbH**  
Jakob-Haringer-Str.3  
A-5020 Salzburg  
Web: [www.bsr.at](http://www.bsr.at)



# TC20/25 Accessory Ecosystem

Base Single Slot Cradle  
CRD-TC2X-BS1CO-01



Hand Strap  
SG-TC2X-HSTRP1-01  
SG-TC20K-HSTRP1-01



ShareCradle System  
1-slot Ethernet (CRD-TC2X-SE1ET-01)  
5-Slot Charge Only (CRD-TC2X-SE5CU-01)



TC20K Soft Holster  
SG-TC20K-HLSTR1-01



TC2X Soft Holster  
SG-TC2X-HLSTR1-01



Trigger Handle  
TRG-TC2X-SNP1-01



Arm Mount\*  
SG-TC2X-ARMNT-01



## Also Supports...

DX30

Wall Power Supply

Cig Lighter Adapter- Type A

Ethernet Dongle

RS6000/RS507x

USB C Cable  
CBL-USB-MPM1-01



Optional PowerPack Battery  
BTRY-TC2X-PRPK1-01



\*Item not available in all countries.

## Additional PowerPack Battery

### **BTRY-TC2X-PRPK1-01**

TC2X Optional PowerPack Battery

- Charges the internal TC2X battery
- Provides additional 8 - 10 hours of battery life
- LED indicators on the top of the PowerPack indicate charge level
- Charges in all of the cradle solutions with or without the TC20/25
- Supports both hand straps (SG-TC2X-HSTRP1-01 and SG-TC20K-HSTRP1-01)

LED's



USB C Connector





## Single Slot Base Cradle



**CRD-TC2X-BS1CO-01**

TC2X Base Single Slot Cradle

- Single Slot cradle is Charge Only
- Charges PowerPack only and Terminal Only
- Charges PowerPack and Terminal together
- Charges Trigger Handle and Terminal together
- Will NOT support RFID Sled with or without Terminal
- \*\*\*\*“KIT-TC2X-BS1FT-05 - 5 Pack of TC2X Base single slot interconnectors” Can be used to interconnect multiple base single slot cradles together mechanically. \*\*\*\*

*Single Slot Base Cradle requires country specific power supply PWR-WUA5V12W0XX (US, EU, GB, AU, CN, BR, KR, IN) & USB C Cable (CBL-USB-MPM1-01)*



## 1 & 5-Slot ShareCradles



**CRD-TC2X-SE1ET-01**

TC2X Single Slot Charge/Communication Cradle



**CRD-TC2X-SE5CO-01**

TC2X 5-Slot Charge Only Cradle

- Single Slot is only available in Ethernet and 5-slot only available in charge only
- 19 inch Rack Mountable (Mounting accessory required)
- NOTE: These cradles will not support the RFID Sled. A cradle will be created to support this accessory
- NOTE: Single Slot Ethernet to utilize Ethernet Requires (Sold Separately): KT-TC51-ETH1-01 – USB-ETHERNET ADAPTER FOR SHARECRADLE 1-SLOT W SUPPORT BRACKET

*5-Slot Cradles requires power supply PWR-BGA12V108W0WW, DC Line Cord CBL-DC-382A1-0 & country specific AC Line Cord (sold separately)*



*Single Slot Ethernet Cradles requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord (sold separately)*



## TRIGGER HANDLE

### TRG-TC2X-SNP1-01

TC2X Snap-On Trigger Handle

**Transforms device into all-touch handle style terminal for use in high volume scanning operations**



- Easily attaches to TC2X top housing
- Easily removed to access battery
- Integrated 3-point stand for resting terminal when not in use
- Exposed Contacts provide ability to charge with the 5-Slot & Single Slot Cradles
- Optional Wrist Tether (sold separately) 50-12500-066
- The Trigger Handle is only available to be used on the TC2X Series SE4710 SKUs (not applicable for TC20 with Keyboard)

## RFID Sled

### RFD2000

RFID Gun for TC2X



- Enables a user to scan RFID tags
- Easily attaches to the TC2X top housing
- Exposed contacts provide ability to charge w/ the 5-Slot & Single Slot SHARECRADLES (requires a different cup)
- The customer needs the 8-Pin Rugged IO door that is only available on the TC20 Premium SE4710 SKU

## Soft Holsters

### **SG-TC2X-HLSTR1-01/SG-TC20K-HLSTR1-01**

TC2X Soft Holster/TC20 Keyboard Soft Holster

- TC2X Open Bucket design to accommodate hand strap + Snap-on's for easy insertion/removal
- Opening for audio & drainage
- Non-rotating clip
- Adjustable belt to fit the TC2X with or without the PowerPack



## Hand Strap

### **SG-TC2X-HSTRP1-01/SG-TC20K-HSTRP1-01**

TC2X Hand Strap 3/TC20K Keyboard Hand strap

- Nylon tether that loops into terminal for easy insertion/removal
- Leather and Hypalon Pad for maximum comfort & wear resistance
- Adjustable Velcro design



## Arm Mount

### **SG-TC2X-ARMNT-01**

TC2x Arm Mount

- Enables the TC2X to be mounted to the arm for hands free operation
- Opening to use scan buttons or scan with the hands free RS6000 Bluetooth Ring Scanner



## USB C Cable

### CBL-TC2X-USBC-01

TC20/25 USB C Cable to be used for charging and communications



## Wall Charger – Power Supply

### PWR-WUA5V12W0XX

Power Supply-100-240 VAC, 5 V, 2.5 A with country specific plugs.



Country	Power Supply Part Number
United States	PWR-WUA5V12W0US
Great Britain	PWR-WUA5V12W0GB
Europe	PWR-WUA5V12W0EU
Australia	PWR-WUA5V12W0AU
China	PWR-WUA5V12W0CN
Brazil	PWR-WUA5V12W0BR
Korea	PWR-WUA5V12W0KR
India	PWR-WUA5V12W0IN

## Audio Cables

### HSDT-35MM-PTVP-01

Over the ear headset with MIC and PTT 3.5mm  
Requires 3.5mm adapter cable  
CBL-TC51-HDST35-01 (sold separately)



### CBL-TC51-HDST35-01

3.5MM Collared Female to 3.5MM Male Headset adapter Cable.







# AC Line Cords Country Specific

Country	Three Wire AC Line Cord
Abu Dhabi	50-16000-220R: 1.8M long, CEE 7/7 plug
Australia	50-16000-217R: 1.9M long, AS 3112 plug
Bolivia	50-16000-220R: 1.8M long, CEE 7/7 plug
Brazil	50-16000-727R: 18AWG, 250V, 16A, BR (3w)
China	50-16000-217R: 1.9M long, AS 3112 plug 50-16000-257R: 1.8M long, IEC 60320 C13 plug
Dubai	50-16000-220R: 1.8M long, CEE 7/7 plug
Egypt	50-16000-220R: 1.8M long, CEE 7/7 plug
Europe	50-16000-220R: 1.8M long, CEE 7/7 plug
Hong Kong	50-16000-219R: 1.8M long, BS1363 plug
India	50-16000-669R: 1.9M long, BS 546 plug
Iran	50-16000-220R: 1.8M long, CEE 7/7 plug
Iraq	50-16000-219R: 1.8M long, BS1363 plug

Country	Three Wire AC Line Cord
Israel	50-16000-672R: 1.9M long, S132 plug
Italy	50-16000-671R: 1.8M long, CIE 23-16 plug
Japan	50-16000-218R: 1.8M long, NEMA 1-15P plug
Korea	50-16000-220R: 1.8M long, CEE 7/7 plug 50-16000-256R: 1.8M long, CEE7/7 plug
Malaysia	50-16000-219R: 1.8M long, BS1363 plug
New Guinea	50-16000-217R: 1.9M long, AS 3112 plug
Russia	50-16000-220R: 1.8M long, CEE 7/7 plug
Singapore	50-16000-219R: 1.8M long, BS1363 plug
UK	50-16000-219R: 1.8M long, BS1363 plug
US	23844-00-00R: 7.5 feet long 50-16000-221R: 1.8M long, USA NEMA 5-15P
Vietnam	50-16000-220R: 1.8M long, CEE 7/7 plug





**BSR idware GmbH**  
Jakob-Haringer-Str.3  
A-5020 Salzburg  
Web: [www.bsr.at](http://www.bsr.at)



**THANK YOU**